FLUSSO
LUXURY PLUMBING FIXTURES

Serie 145 ™

145.2100 | Tub / Shower Trim Set With Pressure Balance Valve & 2-Way Diverter with Integrated Volume Control



Trim
[145.2100T**]

Valve
[PBV1005A]

SPECIFICATIONS:

- Includes Pressure balance valve (PBV1005A**) w/ service stops
- Lift Handle to control volume. Turn left for hot, right for cold.
- Small knob controls 2-way water diversion
- Pressure Balance Valve Flow Rate - 5.5 GPM @ 60 PSI
- Extension Available - PBV.2100E**

See Spec Sheet For PBV1005A For Detailed Information On Valve.

Technical Diagram



Water Diversion Diagram



Diverter Position = Left

Diverter Position = Middle

Diverter Position = Right

Critical Dimensions in Inches [mm] - Ver. 2.53

FLUSSO
LUXURY PLUMBING FIXTURES

Universal Fixtures ™

PBV1005A | Pressure Balance Valve With Integrated 2-Way Diverter



SPECIFICATIONS:

- Lift Handle to control volume. Turn left for hot, right for cold.
- Knob controls 2-way water diversion - shared output.
- Pressure Balance Valve Flow Rate - 5.5 GPM @ 60 PSI
- Extension Available - PBV.2100E**

STANDARDS:

- ASME A112.18.1 / CSA B125.1

Technical Diagram



PBV1005A | Pressure Balance Valve With Integrated 2-Way Diverter

Water Diversion Diagram



Diverter Position = Left



Diverter Position = Middle
Shared Flow is Low Transition Flow



Diverter Position = Right