


UF.2106 | Tub / Shower Trim Set With Pressure Balance Valve & 3-Way Diverter with Integrated Volume Control



Trim
[UF.2102T]


Valve
[PBV.2105]

SPECIFICATIONS:


- Includes Pressure balance valve (PBV.2105) w/ service stops
- Lift Handle to control volume. Turn left for hot, right for cold.
- Small knob controls 3-way water diversion
- Pressure Balance Valve Flow Rate - 5.5 GPM @ 60 PSI
- Extension Available - PBV.2100E**

See Spec Sheet For
PBV.2105 For Detailed
Information On Valve.

Technical Diagram



Water Diversion Diagram



Diverter Position = 1

Diverter Position = 2

Diverter Position = 3

Diverter Position = Off

PBV.2105 | Pressure Balance Valve With Integrated 3-Way Diverter



Page 1 of 2

SPECIFICATIONS:

- Lift Handle to control volume. Turn left for hot, right for cold.
- Knob controls 3-way water diversion - shared output.
- Pressure Balance Valve Flow Rate - 5.5 GPM @ 60 PSI
- Extension Available - PBV.2100E**

STANDARDS:

- ASME A112.18.1 / CSA B125.1


Technical Diagram


PBV.2105 | Pressure Balance Valve With Integrated 3-Way Diverter

Page 2 of 2


Water Diversion Diagram

THREE OUTPUT - CAL-GREEN - NO SHARED PORT OPERATION

Diverter Cartridge # - **PBV2105** (Included)

Total 6 Positions as defined below, with **only 1** port active at one time.

- Position 0 - Off - No Water Flow
- Position 1 - Output B Activated
- Position 2 - Off - No Water Flow
- Position 3 - Output A Activated
- Position 4 - Off - No Water Flow
- Position 5 - Output C Activated



Diverter Position = 1

Diverter Position = 2

Diverter Position = 3

Diverter Position = Off

Shared Flow is Low Transition Flow